

INSTRUCCIONES PARA ADMINISTRAR UN TUBO DE GEL

Administre después del nacimiento para conferir inmunidad inmediata con una cantidad garantizada de anticuerpos en cada dosis



GO BEYOND VACCINATION




INMUNIDAD INMEDIATA POR ANTICUERPOS CONTRA LA DIARREA BACTERIANA Y VIRAL

Paso 1:

Saque el tubo de gel del refrigerador


- Una vez fuera del refrigerador, se puede administrar el tubo de gel directamente al ternero



Paso 3:

Quite la tapa y coloque la punta en el fondo de la garganta, en dirección de la cavidad del carrillo

- Empuje el émbolo y, durante unos segundos, deposite lentamente todo el contenido del tubo en la boca del ternero, asegurándose de que el animal trague todo el gel



Paso 2:

Sujete al ternero

- Sostenga al ternero contra el muslo con la cabeza hacia arriba



Paso 4:

Masaje la garganta del ternero mientras sostiene la cabeza hacia arriba para que el ternero trague

Rastreador de tratamiento: El colorante azul no es digerible y sirve para rastrear el tratamiento en el cuerpo del ternero y así verificar que lo haya recibido. La primera deposición después de la administración será de color azul verdoso.



FirstDefenseCalfHealth.com

800.466.8235

Visitenos en



NASDAQ: ICCG

GEL TUBE INSTRUCTIONS

Administer after birth for immediate immunity with guaranteed antibody levels in every dose



GO BEYOND VACCINATION



Coronavirus



K99+ *E. coli*

or



Rotavirus



Coronavirus




K99+ *E. coli*

ANTIBODY DRIVEN IMMEDIATE IMMUNITY AGAINST BACTERIAL & VIRAL SCOURS

Step 1:

Take gel tube out of refrigerator


- Gel Tube can go straight from the refrigerator into the calf



Step 3:

Remove cap, place tip at the back of the throat, toward the cheek pocket

- Initiate the plunger and over a few seconds, slowly squeeze entire tube contents into the calf's mouth, ensuring the calf swallows all of the gel



Step 2:

Secure calf

- Hold calf against your thigh with head up



Step 4:

Massage calf's throat while holding its head up to get the calf to swallow

Protocol Tracker: Blue dye is non-digestible serving as a tracker through the system to ensure calf received treatment. First fecal stool after administration will be blue-green in color.



FirstDefenseCalfHealth.com

800.466.8235

Find us on



NASDAQ: ICCG